

MYTON series



Applicable Grinding Wheel (commercially available)

	Diameter	Hole Diameter	Thickness
MYG-25	Applicable to our Grinding Wheels only		
MYG-40	100 mm	16 mm	3 to 6 mm
MYG-50	125 mm	22.2 mm	6 mm
MYG-70	180 mm	22.2 mm	6 or 8 mm

Grinding Discs for MYTON MYG-25

PN	Description	Sales Unit	Disc
TB08872	GS#46 x 58 mm	5 pcs./set	
TB08873	GS#60 x 58 mm		
TB08874	GS#80 x 58 mm	10 pcs./set	
TB08875	GS#100 x 58 mm		
TB08876	GS#120 x 58 mm	5 pcs./set	
TB09074	Myton Disc Z Z#40 x 58	5 pcs./set	
TB09075	Myton Disc Z Z#60 x 58		
TB09076	Myton Disc Z Z#80 x 58	5 pcs./set	
TB09077	Myton Disc Z Z#100 x 58		
TB09078	Myton Disc Z Z#120 x 58	5 pcs./set	
TB09079	Myton Disc SA A#40 x 58		
TB09080	Myton Disc SA A#60 x 58	5 pcs./set	
TB09081	Myton Disc SA A#80 x 58		
TB09082	Myton Disc SA A#100 x 58	5 pcs./set	
TB09083	Myton Disc SA A#120 x 58		

Designed for curve sanding.

Abrasive Discs and Disc Pads for MYTON MYS-20

PN	Description	Sales Unit	Sanding Disc	Disc Pad	Sales Unit
TB09736	Abrasive Disc 1" x #40	25 pcs./set		TQ14384	1 piece
TB09737	Abrasive Disc 1" x #60			1" Disc Sanding Pad	
TB09738	Abrasive Disc 1" x #80				
TB09739	Abrasive Disc 1" x #100				
TB09740	Abrasive Disc 1" x #120				
TB09741	Abrasive Disc 1" x #180				
TB09742	Abrasive Disc 1" x #240	25 pcs./set		TQ14383	1 piece
TB09743	Abrasive Disc 1" x #320			1 - 1/2" Disc Sanding Pad	
TB09744	Abrasive Disc 1 - 1/2" x #40				
TB09745	Abrasive Disc 1 - 1/2" x #60				
TB09746	Abrasive Disc 1 - 1/2" x #80				
TB09747	Abrasive Disc 1 - 1/2" x #100				
TB09748	Abrasive Disc 1 - 1/2" x #120	25 pcs./set		TQ14382	1 piece
TB09749	Abrasive Disc 1 - 1/2" x #180			2" Disc Sanding Pad	
TB09750	Abrasive Disc 1 - 1/2" x #240				
TB09751	Abrasive Disc 1 - 1/2" x #320				
TB09752	Abrasive Disc 2" x #40				
TB09753	Abrasive Disc 2" x #60				
TB09754	Abrasive Disc 2" x #80	25 pcs./set		1 piece	
TB09755	Abrasive Disc 2" x #100				
TB09756	Abrasive Disc 2" x #120				
TB09757	Abrasive Disc 2" x #180				
TB09758	Abrasive Disc 2" x #240				
TB09759	Abrasive Disc 2" x #320				

*Please use commercially available consumables for MYG-40/MYG-50/MYG-70.

*Please use commercially available consumables for MYS-40/MYS-70.

Focused on you
NITTO KOHKI CO., LTD.
Web www.nitto-kohki.co.jp/e

Head Office
9-4, Nakaikegami 2-chome, Ohta-ku, Tokyo 146-8555, Japan
Tel : +81-3-3755-1111 Fax : +81-3-3753-8791
E-mail : overseas@nitto-kohki.co.jp



DISTRIBUTED BY



A new series of MYTON are here

Highly durable and Easy to operate

MYTON series
Grinding and Sanding MYTON series



Features



New
Model **MYG-50**

- New high durability motor
- Improved workpiece visibility due to low head design
- Improved noise reduction with new type silencer

*1) Except MYG-50, MYG-70 and MYS-70
*2) Except MYG-25, MYS-20 and MYS-70

Grinding MYTON GRINDER

Sanding MYTON SANDER



[Compact and lightweight] **Model MYG-25**
• Lever switch type
For Grinding Wheel 58 mm
Compact and lightweight type

[For medium grinding] **Model MYG-40**
• Lever switch type
For Grinding Wheel 100 mm
Powerful type

[For heavy grinding] **Model MYG-50**
• Lever switch type
• With anti-vibration handle
For Grinding Wheel 125 mm
Heavy grinding type

[For heavy grinding] **Model MYG-70**
• Lever switch type
For Grinding Wheel 180 mm
Heavy grinding type

[For heavy grinding] **Model MYG-70** Non-CE
• Ring switch type
For Grinding Wheel 180 mm
Heavy grinding type

[Compact and lightweight] **Model MYS-20**
• Lever switch type
For Abrasive Discs 1", 1-1/2" and 2"
Compact and lightweight type

[For light sanding] **Model MYS-40**
• Lever switch type
For Abrasive Disc 100 mm
Light sanding type

[For medium sanding] **Model MYS-70** Non-CE
• Ring switch type
• Japanese model
For Abrasive Disc 180 mm
Medium sanding type

Specifications

Model	MYG-25	MYG-40	MYG-50	MYG-70 Lever Type	MYG-70 Ring Type	MYS-20	MYS-40	MYS-70
Air Pressure	MPa (kgf/cm ²) 0.6 (6)							
Air Consumption	m ³ /min 0.42 (No-load) 0.50 (No-load) 0.69 (Load) 0.75 (No-load) 0.70 (No-load) 0.95 (Load)							
Free Speed	min ⁻¹ (rpm) 19000 13000 11000 7600 7600 19000 13700 7600							
Depressed Center Grinding Wheel	mm 58 100 125 180 180 - - -							
Abrasive Disc	- - - - 1", 1-1/2" and 2" 100 mm 180 mm							
Inlet Size	Rc 1/4 Rc 3/8 Rc 3/8 Rc 1/4 Rc 3/8							
Mass (Weight)	kg 0.6 1.5 2.5 (with handle) 2.4 (with handle) 0.6 1.1 2.4							
Accessories Included	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 19 mm Single Ended Spanner • Grinding Wheel GS #80 x 58 • Bushing R 1/4 x NPT 1/4 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • Handle (anti-vibration type) • 4 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 • Pin Face Wrench 	<ul style="list-style-type: none"> • Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • Handle • 6 mm Hex. Socket Screw Key • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8 	<ul style="list-style-type: none"> • 2 pieces of 14 mm Single Ended Spanner • Bushing R 1/4 x NPT 1/4 • 1" Disc Sanding Pad • 1-1/2" Disc Sanding Pad • 2" Disc Sanding Pad • Assortment of Sample Abrasive Discs Contains: 2 each of #60, #80, #100 and #120 1" Abrasive Disc 2 each of #60, #80, #100 and #120 1-1/2" Abrasive Disc 2 each of #60, #80, #100 and #120 2" Abrasive Disc 	<ul style="list-style-type: none"> • 5 mm Hex. Socket Screw Key • 6 mm Hex. Socket Screw Key • Bushing R 1/4 x NPT 1/4 	<ul style="list-style-type: none"> • Handle • 41 mm Single Ended Spanner • 10 mm Hex. Socket Screw Key • Bushing R 3/8 x NPT 3/8