


NODHA®

Quality, Your Value, Our Life



NODHA®

Portable Cutting & Machining Tools

Pipe Cold Cutting & Beveling Machine
Portable Pipe Beveling Machine

YouTube



LinkedIn



facebook



Nodha Industrial Co.,Ltd
Nodha Industrial Technology (Wuxi) Co.,Ltd

Add: 6th Floor, 12nd Building, No. 9 XingYang Road,
Wuxi 214082, China.

Tel: 86 510 8580 9585 Fax: 86 510 8580 8563

E-mail: info@nodha.com sales@nodha.com

Web: www.nodha.com

Distributor:



EN IEC 61000-6-2:2019
EN ISO 12100:2010
EN 13128:2001+A2:2009
EN 60204-1:2018

ISO9001

Due to continuous product development all dimensions and specifications listed above may be subject to alteration without prior notice NODHA accepts no responsibility for any circumstance arising due to any changes that may result.
©NODHA

426



Features

- Straight type, low radial clearance
- Full sets of clamps cover the entire range
- One mandrel covers entire range
- Can be positioned in any direction
- Self-Centering clamping system
- Easy set up & operation
- Powerful electric motor

Specification


Model	IDE-426	IDE-630
Driven	Electric	Electric
Power Supply	220-240V 1PH 50/60HZ	220-240V 1PH 50/60HZ
Motor Power	1600W	1600W
Clamping(ID)	250-410mm	300-600mm
Max Working Range(OD)	16" (406.4mm)	24" (609.6mm)
Wall thickness	≤20mm	≤20mm
Rotation Speed	11r/Min	9r/Min
Working Weight	83kgs	107kgs
Shipping Weight	115kgs	166kgs
Package Size	940*530*420mm	940*700*460mm

630



Tool Bits


- Standard tool:
- V type beveling
- U type beveling
- Facing



J-Prep. Tool J-Prep. Tool Facing Tool Inside Beveling

- * Consult us for special demand
- * Contact us for tooling chart

Typical Buttwelding



Standard Supply

- Machine with its driven motor
- Full set expanding blocks
- Hand tools, Manual
- Package: plywood case

Tooling Chart

Facing tools			
Description	Part Number	Application	Sketch
M42 Facing tool 6X22mm, Step type	42F-0622S	V1	
M42 Facing tool 8X22mm, Step type	42F-0822S	V3, V6, V8 80, 120, 252	
M42 Facing tool 8X22mm	42F-0822	V3, V6, V8 80, 120, 252	
M42 Facing tool 10X25mm	42F-1025	V14	
M42 Facing tool 20x20mm	42F-2020	426,630	
Beveling tools			
Description	Part Number	Application	Sketch
M42 Beveling Tool 6X22mm, Step type	42B-0622S-30°	V1 a is beveling angle required	
	42B-0622S-37.5°		
	42B-0622S -a		
M42 Beveling Tool 8X22mm, Step type	42B-0822S-30°	V3, V6, V8 80, 120, 252 a is beveling angle required	
	42B-0822S-37.5°		
	42B-0822S -a		
M42 Beveling Tool 8X22mm	42B-0822-30°	V3, V6, V8 80, 120, 252 a is beveling angle required	
	42B-0822-37.5°		
	42B-0822 -a		
M42 Beveling Tool 10X25mm	42B-1025-30°	V14 a is beveling angle required	
	42B-1025-37.5°		
	42B-1025 -a		
M42 Beveling tool 20x20mm	42B-2020-a	426, 630 a is beveling angle required	
Inner Beveling tools			
Description	Part Number	Application	Sketch
M42 Inner Beveling tool 8X22mm, Step type	42I B-0822S-12°	V3, V6, V8 80, 120, 252 a is beveling angle required	
	42I B-0822S-15°		
	42I B-0822S -a		
M42 Inner Beveling tool 8X22mm	42I B-0822-12°	V3, V6, V8 80, 120, 252 a is beveling angle required	
	42I B-0822-15°		
	42I B-0822 -a		
M42 Inner Beveling tool 10X25mm	42I B-1025-12°	V14 a is beveling angle required	
	42I B-1025-15°		
	42I B-1025 -a		
M42 Inner Beveling tool 20x20mm	42IB-2020-a	426, 630 a is beveling angle required	

* Consult us for special application

Other Products


Flange Facing Machine




FE305 Flange Facing Machine




FI355M Flange Facer




FI700 Flange Facing Machine



FI1000 Flange Facing Machine



FI1500 Flange Facing Machine



FI2000 Flange Facing Machine

Flange Tool



Hydraulic Flange Spreaders



Collet Style Flange Spreaders



Hydraulic Fixed Flange Alignment Tool



Hydraulic Nut Splitters OX312-series (Single blade)



Hand Pump



Light Weight Hand Pump

Plate Beveling Machine



GBM-6D



GBM-12D



GBM-16D

Plate Edge Milling Machine



GMMA-60S



GMMA-80A



GMMA-80R



GCM-R3TD

Slag Remove Machine

GDM-265D



GDM-3120D



CNC Plate Edge Milling Machine

GMM-VF1500A



GMM-VS/XS

